



Document Solutions

> PRINT

ECOSYS P2235dn
ECOSYS P2040dn
ECOSYS P2040dw

MONOCHROME LASER PRINTER
FOR A4 FORMAT



RELIABLE AND DURABLE,
YOUR PERFECT CHOICE



- Quick A4 print up to 40 ppm (Mono)*.
- Convenient built-in wireless LAN interface**.
- Support Air Print* and Mopria certified.
- Standard 256MB RAM to perform heavy duty tasks without additional memory required.
- Low temperature fuser system for less power consumption.
- High printing quality with Fine 1,200 print resolution.

*For ECOSYS P2040dn / P2040dw
**For ECOSYS P2040dw



Born to be Extraordinary


KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.


Smart Choice for Business

Designed with ECOSYS long-life technology, these monochrome printers offer exceptionally low cost per page and less waste as well as flexible paper handling and comprehensive security features. They are the reliable and robust office solutions for perfect printing.



Versatile Functionality

- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever paper is loaded there.
- Direct print from USB memory.
- Save cost by using less paper.
Print: Allow 25-in-1
- 2-sided print as standard.
- Support Job retention with RAM disk/SD card (Optional).
- Ready to use with pre-installed initial toner.
- Allow fast A5E paper path print up to 40 ppm.



Safeguard Data

- Sophisticated network security (SSL, IPsec) as standard and prevent improper access.
- **Private Print** enables secure print jobs with preset password request at the device.



Ecological Solution

- Low energy consumption
Energy Star Ver.2.0 certified.
Power consumption is low by using the new low temperature melting toner.
- Free of Hazardous material
Fulfill the requirements of **RoHS** (Restriction of Hazardous Substances) & usage of **Lead-Free Parts**.
- Reduce wastage with **Long Life Consumables and Drums**.
- Reduce noise by built-in **Quiet Mode****.



Streamline Workflow with Business Applications

By combining the innovative Business Applications, these printers can manage document in an effective approach.

- **KYOCERA MyPanel**
Remote control designated KYOCERA printing devices by smartphone or tablet.



- **KYOCERA Net Manager*****
Control sensitive documents and reduce printing costs.



- **KYOCERA Mobile Print**
Conveniently print files, web pages and images using smartphone or tablet.



- **AirPrint***
Print documents, photographs, images, etc. directly from iOS devices/Mac.



*For ECOSYS P2040dn / P2040dw

**Print speed will be reduced

***Optional

		Main Specifications	
Model		ECOSYS P2235dn	ECOSYS P2040dn ECOSYS P2040dw
Type		Desktop	
Writing Method		Semiconductor Laser	
Print Speed (A4) (Mono)		35 ppm	40 ppm
First Print Out Time		6.8 seconds	6.4 seconds
Warm Up Time		15 seconds	
Resolution		600 x 600 dpi, Fast 1200, Fine 1200	
Duplex		Auto	
Control Panel		7 Color LED	2 lines LCD Panel
Power Consumption (Standard configuration)	Print Mode	620W	
	Stand-by Mode	8W	
	Sleep Mode	0.8W	
Noise (ISO7779/ ISO9296)	Print Mode	51dB(A); Silent mode: 47dB(A)	52dB(A); Silent mode: 48dB(A)
	Stand-by Mode	29dB(A)	
Dimension (W x D x H) (Main Unit)		375mm x 393mm x 272mm	
Weight (Main Unit)		Approx. 14.0 kg	
Controller			
CPU		Cortex-A9 800 MHz	
Memory		Standard 256MB (Max. 256MB)	
Interface		USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T;USB Host x1; 802.11 b/g/n/Wireless LAN/WiFi Direct (ECOSYS P2040dw only)	
PDL/Emulations		PCL6 (PCL5e, PCL-XL), KPDL3 (Postscript 3 compatible), PRESCRIBE, Line Printer, IBM Proprinter X24E, Epson LQ-850, PDF Direct Print Ver. 1.7	
Supported Protocol		TCP/IP, FTP, LPR, Port9100, IPP, IPP over SSL, NetBEUI, WSD Print, Apple Bonjour, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS,FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS	
Operating System		Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Apple Macintosh OS X 10.5 or later; Linux	
USB Memory Printing		-	Standard
USB Memory Printing Format		TIFF, JPEG, PDF, XPS, Open XPS	
e-mail Printing		Standard	
Mobile Printing		Mopria, KYOCERA mobile print	AirPrint, Mopria, KYOCERA mobile print
Paper Handling			
Paper Capacity	Standard	250 sheets x1 (Cassette) + 100 sheets (MPT)	
	Maximum	850 sheets (Main Unit + PF-1100 x2 + MPT)	
Paper Size	Cassette	Min. A6R - Max. A4R (Legal)	
	Option	Min. A6R - Max. A4R (Legal)	
	MPT	Min. A6R - Max. A4R (Legal)	
Paper Weight	Cassette	60 – 163 g/m ²	
	Option	60 – 163 g/m ²	
	MPT	60 – 220 g/m ²	
Duplex Printing		Paper size: A5R - A4/Legal; Paper weight: 60 - 163 g/m ²	
Output Capacity		Max. 250 sheets face-down	
Consumables & Options			
Toner Kit (Page Yield in accordance with ISO/ IEC 19752)		TK-1158 (3,000 pages)	TK-1168 (7,200 pages)
Capacity of Start Up Toner		1,000 pages	3,600 pages
Maintenance Kit		MK-1158 (100,000 pages)	
Paper Feeder		PF-1100: 250 sheets (Max. x2)	
Card Authentication		-	CardAuthentication Kit(B)



Document Solutions

Kyocera Document Solutions India Pvt. Ltd.
 Second Floor, Tower C, Centrum Plaza,
 Golf Course Road, Sector - 53
 Gurgaon - 122002 (Haryana)
 Tel: +91 124 467 1000
 Fax: +91 124 467 1001
 Email: contactus@did.kyocera.com
 Web: <http://www.kyoceradocumentsolutions.co.in>

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

©All rights reserved. B702300/2015/120702/L001_P0000



Our Environmental Regulations